# Exhibit 12

ADVANCED CARDIOVASCULAR SYSTEMS EXTRUSION DATA SHEET

START TIME:

EXTRUSION #: 10-543-1 AMOUNT (FEET): LOOD

DATE: 3-11-94 SIGNATURE/DATE A S-W-ONL

FINISH TIME:

LOT# : MATERIALS: MATERIAL DESC.

RM#

PEEK Victor 321

RED None

EXTRUDER 10

PROCESS PERSON TTOMAS

REQUESTOR L WASISECK

PRODUCT SHFT

SA#

SET-UP PARAMETERS: ------

MANDREL LGTH (EXT ONLY) FLUSH EXPERIMENTAL Y

DIE I.D. .094

OVAL N ROUND Y

PRODUCTION N

XHEAD Y MANDREL O.D. .072

STRAIGHT N

SCREW TYPE CR 110343-1

SCREEN TYPE 20 60 20

START ID/OD .032/.038

FINISH ID/OD .032/.038

# PROCESS PARAMETERS

TEMPERATURE SETPOINTS					SPEEDS & SETPOINTS	PSI & AIR		
				& H				
ZONE 1	565.0	MEL	r '	-0.0	SCREW RPM 5.8	HEAD PSI 2770.0		
ZONE 2	67 <b>0</b> .0	DIE	1	0.0	PSI SET 2121.0	DIE PSI 2014.0		
ZONE 3	720.0	DIE	2	0.0	EXTR. AMP 9.4	AIR PSI 1 7.2		
CLAMP	700.0	DIE	3	720.0	PUL SPEED 65	2 0.2		
INLET	730.0	W/B	TEMP	0.0	W/B DIST25	3 0.3		
G/PUMP	32.0					4 0.4		
PMP OUT \$70.0								

XHEAD 0.0 MATERIAL DRYING TMP. 280 F DEWPOINT -90 # OF HRS DRYING 48 hrs

### ACTUAL PARAMETER COLLECTED EVERY 10 MINUTES

ACTUAL 2 ACTUAL 3 ACTUAL 4 SETPOINT ACTUAL 1 ACTUAL 5

G/PUMP PSI

PUMP AMP

SCREW RPM

EXTRUDER AMP

PULLER SPEED

BARREL 1

BARREL 2

BARREL 3

HEAD PSI

TUBING O.D.

AVG.DIA.

AVG.STD.DEV.

ADVANCED CARDIOVASCULAR SYSTEMS EXTRUSION DATA SHEET

START TIME: FINISH TIME:

EXTRUSION #: 10-544-1 AMOUNT (FEET): 600
DATE: SIGNATURE/DATE YAM 03

MATERIALS: MATERIAL DESC.

LOT# :

RM#

PEEK

EXTRUDER 10

PROCESS PERSON TTOMAS

REQUESTOR L WASISECK

PRODUCT SHFT

SA#

SET-UP PARAMETERS:

\_\_\_\_\_\_

MANDREL LGTH (EXT ONLY) FLUSH

-----------

EXPERIMENTAL Y

DIE I.D. .094 OVAL N ROUND Y

PRODUCTION N

MANDREL O.D. .072 XHEAD Y

STRAIGHT N

SCREW TYPE @R 110393-1

SCREEN TYPE 20 60 20

START ID/OD .018/.024

FINISH ID/OD .018/.024

# PROCESS PARAMETERS

TEMPERATURE SETPOINTS	SPEEDS & SETPOINTS	PSI & AIR								
ZONE 1 565.0 MELT 784 0.0	SCREW RPM 5.8	HEAD PSI 2802.0								
ZONE 2 670.0 DIE 1 0.0	PSI SET 1943.0	DIE PSI 2044.0								
ZONE 3 720.0 DIE 2 0.0	EXTR. AMP 8.9	AIR PSI 1 1.1								
CLAMP 700.0 DIE 3 720.0	PUL SPEED 65	2 0.2								
INLET 730.0 W/B TEMP 0.0	W/B DIST. 1INCH	3 0.4								
G/PUMP 32.0		4 0.5								
PMP OUT 670.0										
XHEAD 0.0										
MATERIAL DRYING TMP. 2-90 + D	EWPOINT\$() # OF HRS I	DRYING 48 hrs								

## ACTUAL PARAMETER COLLECTED EVERY 10 MINUTES

SETPOINT	ACTUAL 1	ACTUAL 2	ACTUAL 3	ACTUAL 4	ACTUAL 5
G/PUMP PSI	2014	2016	1975		
PUMP AMP	0	0	0		( .0
SCREW RPM	6	6	6		$(y_i)_{i \in I}$
EXTRUDER AMP	9	8	9		They !
PULLER SPEED					, and (a)
BARREL 1	2776	2693	2609		mandred ed
BARREL 2	0	0	0	ري .	16 NO
BARREL 3	0	0	0	-00	~ W/ _
HEAD PSI	2014	2016	1975	^	<b>℃</b>
TUBING O.D.	0.0000	0.0000	0.0000	76	•
AVG.DIA.	0.0000	0.0000	0.0000		
AVG.STD.DEV.	0.0000	0.0000	0.0000		